

Overcoming isolation...

Building a **global community of practice**
through



SCENARIOEd
GLOBAL MEDICAL REASONING FORUM



Acknowledgement of Country

We acknowledge the Traditional Owners of the land in which this meeting is taking place, and pay respects to their Elders past, present and their families.

General practice



Isolation in general practice

- Physical context
- Professional context
- Impact on career choice for medical students

Overcoming isolation through connection


- Communities of practice unite people with common interests, facilitating the sharing of ideas, resources, knowledge, and skills¹.
- For healthcare workers - especially those living and working in regional and remote locations -, virtual communities of practice have the potential to overcome isolation^{2,3}.


1. Shaw L et al. Implementation of virtual communities of practice in healthcare to improve capability and capacity: a 10-year scoping review. *Int J Environ Res Public Health* 2022, 19, 7994. doi.org/10.3390/ijerph19137994

2. McLoughin C et al. The use of virtual communities of practice to improve interprofessional collaboration and education: findings from an integrated review. *J Interprof Care*, 2018;32(2):136-142. doi: 10.1080/13561820.2017.1377692

3. Murad A et al. Quantifying use of a health virtual community of practice for general practitioners' continuing professional development: a novel methodology and pilot evaluation. *J Med Internet Res* 2019;21(11):e14545

Community





❖ Free membership for everyone involved in GP training in Australia

❖ Community members notified in-app about new discussions in their groups

❖ Professional “safe space”

❖ Sector updates

❖ Events

❖ Community members able to communicate directly with one another in-app





❖ Communication

❖ Engagement

Innovation – Education - Connection



Innovative Education



**BUILT FOR
(LIFE-LONG)
LEARNERS**



Loading

The mobile app interface is shown in two parts. The top part is titled "Join the Discussion" and features a lightbulb icon in a speech bubble. Below the title is the instruction "Enter Teacher ID & Scenario ID". There are two input fields: "Teacher ID" and "Scenario ID", both of which are circled in red. Below these fields is a dark blue "Submit" button. The bottom part of the interface is titled "Review Your Discussions" and features an eye icon in a speech bubble. Below the title is the instruction "Click [here](#) to access your comments". At the bottom of the screen, there is a navigation bar with icons for home, notifications, and profile.

← TOPIC: Clinical

SCENARIO 037

Don, a 64 year old retired builder, presents with an 18 month history of worsening right sided knee pain. He injured the knee playing rugby in his thirties. The pain is worse after walking and settles with rest. Don denies any significant PMHx and takes no regular medications. You diagnose osteoarthritis.

PROMPT

Which interventions for knee OA have a strong evidence base and could be recommended to Don?

Click here to share your reasoning

SCENARIO 037

Don, a 64 year old retired builder, presents with an 18 month history of worsening right sided knee pain. He injured the knee playing rugby in his thirties. The pain is worse after walking and settles with rest. Don denies any significant PMHx and takes no regular medications. You diagnose osteoarthritis.



PROMPT

Which interventions for knee OA have a strong evidence base and could be recommended to Don?

Surgical interventions to be avoided until all other options exhausted

Submit your comments



Join the Discussion

Enter Teacher ID & Scenario ID

Teacher ID

Scenario ID


Submit



Review Your Discussions

Click [here](#) to access your comments

Comments



Surgical interventions to be avoided until all other options exhausted

Opal * 11 seconds ago



Pain killers

Opal * 7 hours ago



Drugs and pain killers

Vishal * 14 hours ago



The treatment you are given will depend on the type and severity of the injury. In some cases, rest and at home treatment is sufficient while more serious injuries may require immobilisation, painkilling medications or injections, physiotherap...

See More

Vishal * 14 hours ago



Pain relief, weight loss, strengthening exercises and anti-inflammatory drugs

Carla * 14 hours ago

Comments

Surgical interventions to be avoided until all other options exhausted


Filter comments by contributors' country


Pain killers

Country

Search Country..

- Afghanistan
- Aland Islands
- Albania
- Algeria
- American Samoa
- Andorra
- Angola
- Anguilla
- Antarctica
- Antigua And Barbuda


Clinical

SCENARIO 037 

Don, a 64 year old retired builder, presents with an 18 month history of worsening right sided knee pain. He injured the knee playing rugby in his thirties. The pain is worse after walking and settles with rest. Don denies any significant PMHx and takes no regular medications. You diagnose osteoarthritis.

PROMPT

Which interventions for knee OA have a strong evidence base and could be recommended to Don?


[New Scenario](#)


[< Back to Topics](#)

❖ **Features for the educator**

Bookmark scenarios

Export Excel file with all students' comments (added in their Scenario Ed app) for scenarios allocated by supervisor / teacher

Settings CLOSE 


Settings

Profile

Bookmarks

Export


Contact GPSA

Subscription details

Next steps

- ❖ **Research / evaluation**
Partner with local and international universities to evaluate the extent to which ScenarioEd promotes a global community of practice

- ❖ **Continue to grow resources**
Partner with Colleges / universities to develop content for additional medical categories



Questions?

Acknowledgements

GPSA is supported by funding from the Australian Government under the Australian General Practice Training Program.